

Continuous Integration



Continuous Integration

- What is Continuous Integration?
 - “In software engineering, continuous integration (CI) implements continuous processes of applying quality control — small pieces of effort, applied frequently.”
- What is Jenkins?
 - “Jenkins, previously known as Hudson, is an open source continuous integration tool written in Java.”

How It Used To Be

- Lack of automation
- Push me, pull you!



Getting Ready For Automated CI




#66: "THE PRICE OF CONTINUOUS INTEGRATION" - BY SALVATORE IOVENE, NOV. 10TH, 2008

[HTTP://WWW.GEEKHEROCOMIC.COM/](http://www.geekherocomic.com/)

Managing Change


- We want to keep revisions.
- But we also want to share.
- In fact, we want to share in complex ways.
- But when we share, shit breaks. :-(

Managing Change



Vincenzo Russo

- Development Team Lead
- He likes hats...
- He hates it when shit breaks.
- He also likes process.
- A little too much.



VCS

- Vincenzo likes Scrum
- That changes the way you think...
- What is “feature branching”?
- Um, we don't actually do that...
- We do feature **forking**!

VCS

- We use Gitorious instead of GitHub

The screenshot displays the Gitorious web interface for reviewing a merge request. The main content area is titled "Reviewing merge request #1: I hacked core." and includes buttons for "Edit merge request", "Delete merge request", and "Unwatch". The merge request is requested by user "mig5" and is in "Open" status. It shows the source repository as "mig5s-nokia_academy:master" and the target repository as "nokia_academy:master", created on November 10th, 2011 at 02:53.

A red box highlights the "Commits that would be merged:" section, which shows a diff for the file `www/CHANGELOG.txt`. The diff includes the following changes:

```
1 DON'T HACK CORE!  
2  
2 3 Drupal 6.22, 2011-05-25  
3 4 -----
```

Another red box highlights the "Comments" section, which shows a comment from user "mig5" stating "Pushed new version 1". Below this, a red box highlights the "Add a new comment:" section, which contains a text input field with the comment "What the fuck were you thinking mig5? This is rubbish.".

Red text annotations are present on the interface:

- "View the diff of what would change" is written in red text next to the diff section.
- "Abuse the developer for their bad code below, as part of code review" is written in red text next to the comment section.

Hardware In The Cloud

- So we are managing change...
- Next we need a place to build!

Miguel Jacq

- Systems Engineer
- Likes France.
- Hates working.
- Hates working so much, he makes tools that can work for him!



Managing The Servers

- Jenkins
- Madelon
- Libcloud / Linode API
- Puppet
- Nagios
- Munin

Why Jenkins for arbitrary tasks?

- Not just a CI tool
- Good for executing any remote script & monitoring result
- A useful audit trail
- Repeatable (useful for DR)
- Automatable
- Many notification options (iPhone, IRC, email)

Madelon?

- <http://github.com/mig5/madelon>
- Fabric-based implementation of Libcloud API
- Builds a new server, runs post 'hooks'
- Triggers the initial Puppetisation of a server
- Triggers automatic monitoring (Nagios/Munin)

Triggered from a Drupal webform!

New Server Deployment

[View](#)[Edit](#)[Webform](#)[Results](#)

Use this form to create a new server at Linode (using Madelon) and configure it (via Puppet) based on the appropriate roles.

The job will be passed through Jenkins, so that the progress may be viewed in the Console Output.

FQDN *


The FQDN (fully qualified domain name) of the new host. Eg. foo.example.com

Roles *

- ☐ apacheserver
- ☐ nginxserver
- ☐ dbserver
- ☐ proxyserver
- ☐ memcached_server
- ☐ mongodb_server
- ☐ monitor
- ☐ jenkins_server
- ☐ vpn_server

The roles for the new server.

Wrapping up



Alasdair Cowie-Fraser

- Junior Developer
- Likes music.
- Not very clever.
- We need to stop him from breaking shit...
- Because that upsets Vincenzo!





We can manage change
We have a place to build
But we also have an Alasdair
Now we need a safe pair of hands!



Jenkins

- Jenkins is already doing large chunks of Mig's job – maybe he can do Alasdair's job too?



Jenkins

- Webform once again, to make dev's life easier

New Site Deployment

[View](#)[Edit](#)[Webform](#)[Results](#)

Use this form to add a new site/repo deployment project into Jenkins.

Project name *

Name of the new project. Avoid whitespace: use underscores if needed.

Server *

Server to deploy to.

Git repo *

Git repo to deploy. Just the repo name, not the full path/URL.

Git branch *

Becomes a Jenkins job

Project name	<input type="text" value="Deploy_petsupermarket_master_branch"/>
Description	<input type="text" value="deploy a new release of petsupermarket project from master branch"/>
Source Code Management	
<input checked="" type="radio"/> Git	
Repositories	URL of repository <input type="text" value="ssh://git@github.com/codeenigma/petsupermarket"/>
<input type="button" value="Add"/>	
Branches to build	Branch Specifier (blank for default): <input type="text" value="master"/>

Triggers a Fabric deployment

- Clones repo
- Checks out requested branch
- Creates database, settings.php, files dir
- Sets up symlinks (files dir lives outside build)
- Creates Drush alias, Drush crontab
- Creates Nginx vhost, restarts services
- Points 'Document Root' symlink to new build
- Commits relevant bits back into git (updated settings.php with db credentials etc)

First build in action

Console Output

```
Started by an SCM change
Checkout:workspace / /var/lib/jenkins/jobs/Deploy_petsupermarket_master_branch/workspace - hudson.remoting.LocalChannel@30b9c3
Using strategy: Default
Checkout:workspace / /var/lib/jenkins/jobs/Deploy_petsupermarket_master_branch/workspace - hudson.remoting.LocalChannel@30b9c3
Cloning the remote Git repository
Cloning repository origin
Fetching upstream changes from ssh://git@github.com:codeenigma/petsupermarket
Commencing build of Revision 3d53efac9f689fed526d9beee254e3197f538428 (origin/master)
Checking out Revision 3d53efac9f689fed526d9beee254e3197f538428 (origin/master)
No change to record in branch origin/master
[workspace] $ /bin/bash -xe /tmp/hudson1660900597364378785.sh
+ /var/lib/jenkins/scripts/deployment.sh dev1.codeenigma.com petsupermarket build 1 master
====> Cloning petsupermarket from github
[localhost] run: ssh-agent bash -c 'ssh-add; ssh -t -A dev1.codeenigma.com "git clone git@github.com:codeenigma/petsupermarket
~jenkins/petsupermarket_master_build_1"'
Cloning into /home/jenkins/petsupermarket_master_build_1...
[dev1.codeenigma.com] sudo: mv ~jenkins/petsupermarket_master_build_1 /var/www

Done.
Disconnecting from dev1.codeenigma.com... done.
====> This looks like the first build! We have some things to do..
====> Setting the live document root symlink
[dev1.codeenigma.com] sudo: ln -s /var/www/petsupermarket_master_build_1 /var/www/live.petsupermarket.master
====> Making the shared files dir and setting symlink
[dev1.codeenigma.com] sudo: mkdir -p /var/www/shared/petsupermarket_master_files
[dev1.codeenigma.com] sudo: chown www-data.www-data /var/www/shared/petsupermarket_master_files
[dev1.codeenigma.com] sudo: ln -s /var/www/shared/petsupermarket_master_files /var/www/petsupermarket_master_build_1/www/sites/default/files
====> Preparing the database
[dev1.codeenigma.com] sudo: bunzip2 /var/www/live.petsupermarket.master/db/petsupermarket.sql.bz2
[dev1.codeenigma.com] sudo: /usr/local/bin/mysqlprepare.sh petsupermarket AYIXxvc3 /var/www/live.petsupermarket.master master
/var/www/live.petsupermarket.master/db/petsupermarket.sql
[dev1.codeenigma.com] out: Creating a database for petsupermarket
[dev1.codeenigma.com] out: Importing database dump /var/www/live.petsupermarket.master/db/petsupermarket.sql into petsupermarket
[dev1.codeenigma.com] out: Generating a user/pass for database petsupermarket
====> Setting up an nginx vhost
[dev1.codeenigma.com] sudo: cp /etc/nginx/sites-available/dummy.conf /etc/nginx/sites-available/petsupermarket_master.conf
[dev1.codeenigma.com] sudo: sed -i s/dummy/petsupermarket.master/ /etc/nginx/sites-available/petsupermarket_master.conf
[dev1.codeenigma.com] sudo: ln -s /etc/nginx/sites-available/petsupermarket_master.conf /etc/nginx/sites-enabled/petsupermarket_master.conf
====> Adding httpasswd
[dev1.codeenigma.com] sudo: /usr/local/bin/nginx.htpasswd [REDACTED] master
***** The httpasswd user/pass is [REDACTED] *****
====> Committing our settings.php change to preserve the db credentials
[dev1.codeenigma.com] sudo: cp /var/www/live.petsupermarket.master/www/sites/default/settings.php
/var/www/live.petsupermarket.master/www/sites/default/settings.php.master
[dev1.codeenigma.com] run: git add www/sites/default/settings.php.master
[dev1.codeenigma.com] run: git commit -m "db_url"
[dev1.codeenigma.com] out: [master 5e9f8b0] db_url
[dev1.codeenigma.com] out: 1 files changed, 7 insertions(+), 0 deletions(-)
[localhost] run: ssh-agent bash -c 'ssh-add; ssh -t -A dev1.codeenigma.com "cd /var/www/live.petsupermarket.master && git push"'
```

What happens after the first build?

- Subsequent commits + push to that branch trigger new builds in Jenkins
- Fabric backs up site
- Clones a fresh build into `/var/www`
- Runs tests
- Runs `drush updatedb`
- Manipulates 'Document Root' symlink to point to new build
- Clears caches

YOU BROKE THE BUILD!

This is Agnes and she's none too pleased with you, Bub. You broke the build. You should have known that you were making breaking changes, but you checked them in anyway.



If you start using continuous integration, Agnes won't have to come back.

www.YouBrokeTheBuild.com

Build failed? No problem!

- Usually happens early on in tests
- Existing site continues to function as it points to the last working build
- If it breaks too late in the process, simply set live symlink back to previous build
- Perhaps restore from the database backup taken prior to the broken build if it messed the data

Taking changes live?

- Merge or cherry-pick master branch to stage
- Triggers similar build on stage server
- Client approved? Cherry-pick/merge to prod
- Triggers similar build on prod server
- Takes database changes from dev > live because Jenkins build runs drush updatedb

How has this changed things?

- Automatic triggered build from git to live site sounds risky? Doesn't have to be
- Encourages and inspires devs to commit early, commit often
- Building good tools for Dev takes away the pain for both Dev and Op
- Jenkins notifications to IRC of successful builds + commit message keeps everyone informed
- Emails and alerts about failed builds keeps everyone informed!

Fabric or Capistrano?

- Either tool is good
- Designed to solve same or similar problems
- (running remote tasks over SSH)
- Mig prefers Python to Ruby :P
- What Mig says goes (Mig wrote this slide..)

Peer Review

- Jenkins can build stuff.
- But Alasdair might still do something stupid. Who's keeping an eye on what he commits?

Steve Hunton

- Project Manager
- Likes order.
- Hates Scots.
- Which is unfortunate, since Alasdair is half-Scottish!



Peer Review

- Both Steve and Vincenzo like to keep an eye on poor Alasdair.
- They do so by:
 - Pull requests
 - Built feature branches

Peer Review

The screenshot shows a GitHub merge request page for a repository named 'nokia'. The merge request is titled 'Reviewing merge request #1: I hacked core.' and is requested by user 'mig5'. The status is 'Open'. The source repository is 'mig5s-nokia_academy:master' and the target repository is 'nokia_academy:master'. The merge request was created on November 10th, 2011, at 02:53.

Annotations on the screenshot include:

- A red box highlights the 'Commits that would be merged:' section, which shows a diff for 'www/CHANGELOG.txt'. The diff includes the following changes:

```
1 DON'T HACK CORE!  
2  
2 Drupal 6.22, 2011-05-25  
3 -----
```
- A red text annotation 'View the diff of what would change' points to the diff section.
- A red text annotation 'Abuse the developer for their bad code below, as part of code review' points to the 'Comments' section.
- A red box highlights the 'Add a new comment:' section, which contains the text: 'What the fuck were you thinking mig5? This is rubbish.'


The interface also includes buttons for 'Edit merge request', 'Delete merge request', and 'Unwatch'. The 'Activities' section on the left shows a commit log with buttons for 'COMMIT' and 'REPOSITORY'.



Customers

- Lovely people
- Like it when things just work.
- Customers sign off on Stage
- We cherry-pick the changes to Production
- Tag and release (Jenkins again)

The Full Picture



The Full Picture



The Full Picture



The Full Picture



Jenkins

The Full Picture



The Full Picture



The Full Picture



Jenkins

The Full Picture



The Full Picture

ETC. ETC.

The Full Picture



The Full Picture



The Full Picture



The Full Picture



The Full Picture



Jenkins

Steve Cowie

- Director of Operations
- Lacks empathy.
- Likes money. (He's a Scot.)
- Sends the bill!





Get Paid!

The Plug!

- Like what you see?
- Buy it from Code Enigma.
- Ask Mig to come and manage your servers – he'll find a way to avoid doing it!

Thanks for listening!

